

SEQUENCE LISTING

<110> The Regents of the University of California
 Martin, Paul Taylor

<120> AMYLOID-SPECIFIC PEPTIDES AND USES THEREOF

<130> 00015-022US1

<140> US 10/551,619
 <141> 2005-09-30

<150> US 60/461,168
 <151> 2003-04-07

<150> PCT/US04/10939
 <151> 2004-04-07

<160> 33

<170> PatentIn version 3.3

<210> 1
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> consensus peptide sequence

<220>
 <221> X
 <222> (1)..(1)
 <223> X = W OR F

<220>
 <221> X
 <222> (2)..(6)
 <223> X = any amino acid having two positively charged residues and
 no
 negatively charged residues

<220>
 <221> X
 <222> (7)..(7)
 <223> X = W OR F

<220>
 <221> X
 <222> (8)..(9)
 <223> X = Any amino acid

<220>
 <221> X
 <222> (10)..(10)

<223> X = W OR F

<400> 1

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 2

<211> 20

<212> PRT

<213> Artificial sequence

<220>

<223> Phage display peptide library sequence

<400> 2

Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly Ala Ser Gly
1 5 10 15

Lys Thr Glu Ala
20

<210> 3

<211> 20

<212> PRT

<213> Artificial sequence

<220>

<223> Phage display peptide library sequence

<400> 3

Pro Gly Arg Ser Pro Phe Thr Gly Lys Lys Leu Phe Asn Gln Glu Phe
1 5 10 15

Ser Gln Asp Gln
20

<210> 4

<211> 26

<212> PRT

<213> Artificial sequence

<220>

<223> Phage display peptide library sequence

<400> 4

Ala Glu Cys Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly
1 5 10 15

Ala Ser Gly Lys Thr Glu Ala Cys Gly Pro
20 25

<210> 5
<211> 22
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 5

Cys Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly Ala Ser
1 5 10 15

Gly Lys Thr Glu Ala Cys
20

<210> 6
<211> 22
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 6

Cys Pro Gly Arg Ser Pro Phe Thr Gly Lys Lys Leu Phe Asn Gln Glu
1 5 10 15

Phe Ser Gln Asp Gln Cys
20

<210> 7
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 7

Leu Gly Ser Gly Arg Ile Gly Asp Gly Trp Ser Asp Gly Gly Leu Ala
1 5 10 15

Arg Arg Leu Lys
20

<210> 8
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 8

Asp Gly Gly Gly Gly Ala Gly Arg Trp Thr Thr Lys Asp Arg Ser Ala
1 5 10 15

Ala Lys Thr Glu
20

<210> 9
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 9

Val Asp Asp Gly Ala Gln Gly Lys Arg Trp Gly Gly Met Gly Leu Gly
1 5 10 15

Lys Gly Arg Arg
20

<210> 10
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 10

Ser Gly Ser Gly Val Gly Leu Arg Met Ala Ser Gln Arg His Glu Gly
1 5 10 15

Arg Lys Val Tyr
20

<210> 11
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 11

Gln Leu Pro Gln Asn Gly Gly Pro Ala Trp Phe Thr Arg Lys Ala Gly
1 5 10 15

Gln Gly Gly Arg
20

<210> 12
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 12

Leu Gly Tyr Ala Gly Gly Gly Gln Gly Met Val Glu Gly Ser Phe Trp
1 5 10 15

Pro Thr Ser Trp
20

<210> 13
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 13

Gly Leu Arg Gly Met Glu Gly Arg Gly Tyr Pro Lys Asp Arg Arg Asp
1 5 10 15

Arg Asn Leu Glu
20

<210> 14
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 14

Leu Ile Gly Gly Asn Lys Ala Gly Arg Gly Ala Trp Gly Val Val Ala
1 5 10 15

Ser Ser Gly Arg
20

<210> 15
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 15

Glu Leu Glu Ser Arg Gly Gly Leu Gly Tyr Ala Trp Arg Gly Ser Ala
1 5 10 15

Ser Thr Met Asp
20

<210> 16
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Phage display peptide library sequence

<400> 16

Lys Gly Glu Thr Gly Asn Gly Gly Arg Ala Lys Ala Gly Thr Val Asp
1 5 10 15

Leu Ile Arg Arg
20

<210> 17
<211> 33

<212> PRT
 <213> Artificial sequence

 <220>
 <223> Consensus peptide sequence

 <220>
 <221> X
 <222> (1)..(1)
 <223> X = any amino acid with at least one cysteine residue having
 the
 formula (Xaa)n, where Xaa is any amino acid and n is an
 integer
 from 1 to 20

 <220>
 <221> X
 <222> (2)..(2)
 <223> X = W or F

 <220>
 <221> X
 <222> (3)..(17)
 <223> X = any positively charged amino acid

 <220>
 <221> X
 <222> (18)..(18)
 <223> X = W or F

 <220>
 <221> X
 <222> (19)..(31)
 <223> X = any amino acid

 <220>
 <221> X
 <222> (32)..(32)
 <223> X = W or F

 <220>
 <221> X
 <222> (33)..(33)
 <223> X = any amino acid with at least one cysteine residue having
 the
 formula (Xaa)n, where Xaa is any amino acid and n is an
 integer
 from 1 to 20

 <400> 17

 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

Xaa

<210> 18
<211> 32
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = any amino acid with at least one cysteine residue having
the
formula (Xaa)n, where Xaa is any amino acid and n is an
integer
from 1 to 20

<220>
<221> X
<222> (2)..(2)
<223> X = W or F

<220>
<221> X
<222> (3)..(17)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (18)..(18)
<223> X = W or F

<220>
<221> X
<222> (19)..(31)
<223> X = any amino acid

<220>
<221> X
<222> (32)..(32)
<223> X = W or F

<400> 18

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

<210> 19
<211> 32
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W or F

<220>
<221> X
<222> (2)..(16)
<223> X = Any positively charged amino acid

<220>
<221> X
<222> (17)..(17)
<223> X = W or F

<220>
<221> X
<222> (18)..(30)
<223> X = any amino acid

<220>
<221> X
<222> (31)..(31)
<223> X = W or F

<220>
<221> X
<222> (32)..(32)
<223> X = any amino acid with at least one cysteine residue having
the
formula (Xaa)_n, where Xaa is any amino acid and n is an
integer
from 1 to 20

<400> 19

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

<210> 20
 <211> 31
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Consensus peptide sequence

<220>
 <221> X
 <222> (1)..(1)
 <223> X = W or F

<220>
 <221> X
 <222> (2)..(16)
 <223> X = Any positively charged amino acid

<220>
 <221> X
 <222> (17)..(17)
 <223> X = W or F

<220>
 <221> X
 <222> (18)..(30)
 <223> X = any amino acid

<220>
 <221> X
 <222> (31)..(31)
 <223> X = W or F

<400> 20

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
1				5					10						15	

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				20					25						30	

<210> 21
 <211> 41
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Consensus peptide sequence

<220>

<221> X
 <222> (1)..(1)
 <223> X = any amino acid with at least one cysteine residue having
 the
 formula (Xaa)n, where Xaa is any amino acid and n is an
 integer
 from 1 to 20

<220>
 <221> X
 <222> (2)..(2)
 <223> X = W or F

<220>
 <221> X
 <222> (3)..(17)
 <223> X = Any positively charged amino acid

<220>
 <221> X
 <222> (18)..(18)
 <223> X = W or F

<220>
 <221> X
 <222> (19)..(39)
 <223> X = any amino acid

<220>
 <221> X
 <222> (40)..(40)
 <223> X = W or F

<220>
 <221> X
 <222> (41)..(41)
 <223> X = any amino acid with at least one cysteine residue having
 the
 formula (Xaa)n, where Xaa is any amino acid and n is an
 integer
 from 1 to 20

<400> 21

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
1				5					10					15	

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			20					25					30		

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			35					40	

<220>
<223> Consensus peptide sequence

```

<220>
<221>  X
<222>  (2) .. (2)
<223>  X = W or F

```

```

<220>
<221>    X
<222>    (18) .. (18)
<223>    X = W or F

```

```

<220>
<221>  X
<222>  (40) .. (40)
<223>  X = W or F

```

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

12

<210> 23
 <211> 40
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Consensus peptide sequence

<220>
 <221> X
 <222> (1)..(1)
 <223> X = W or F

<220>
 <221> X
 <222> (2)..(16)
 <223> X = any positively charged amino acid

<220>
 <221> X
 <222> (17)..(17)
 <223> X = W or F

<220>
 <221> X
 <222> (18)..(38)
 <223> X = any amino acid

<220>
 <221> X
 <222> (39)..(39)
 <223> X = W or F

<220>
 <221> X
 <222> (40)..(40)
 <223> X = any amino acid with at least one cysteine residue having
 the
 formula (Xaa)_n, where Xaa is any amino acid and n is an
 integer
 from 1 to 20

<400> 23

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 35 40

<210> 24
 <211> 39
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Consensus peptide sequence

<220>
 <221> X
 <222> (1)..(1)
 <223> X = W or F

<220>
 <221> X
 <222> (2)..(16)
 <223> X = any positively charged amino acid

<220>
 <221> X
 <222> (17)..(17)
 <223> X = W or F

<220>
 <221> X
 <222> (18)..(38)
 <223> X = any amino acid

<220>
 <221> X
 <222> (39)..(39)
 <223> X = W or F

<400> 24

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
1				5					10						15	

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				20					25						30	

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
				35		

<210> 25
 <211> 5
 <212> PRT
 <213> Artificial sequence

<220>

<223> Flanking peptide sequence

<400> 25

Ser Arg Lys Asn Gln
1 5

<210> 26

<211> 9

<212> PRT

<213> Artificial sequence

<220>

<223> Phage display peptide library sequence

<400> 26

His Cys Ser Gln Asn Glu Asp Gly Ala
1 5

<210> 27

<211> 9

<212> PRT

<213> Artificial sequence

<220>

<223> Phage display peptide library sequence

<400> 27

Tyr Ser Thr Thr Ser Trp Tyr Tyr Trp
1 5

<210> 28

<211> 40

<212> PRT

<213> Artificial sequence

<220>

<223> Alpha-Beta 1-40 fragment

<400> 28

Asp Ala Glu Phe Lys His Asp Ser Gly Thr Glu Val His His Gln Lys
1 5 10 15

Leu Val Phe Phe Ala Glu Asp Val Gly Ser Asn Lys Gly Ala Ile Ile
20 25 30

Gly Leu Met Val Gly Gly Val Val
35 40

<210> 29
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> primer

<400> 29
gtttgtcgtc tttccagacg
20

<210> 30
<211> 105
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleotide cloning sequence

<400> 30
cggggtacct gcagaatgcg attgggggaa ggggggtcgg tggcggttgt ggccgggtgc
60

gtcggggaag acggaggcgt gcggcccgcc gtattagtct agagc
105

<210> 31
<211> 105
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleotide cloning sequence

<400> 31
gctctagact aatacggcgg gccgcacgcc tccgtcttcc ccgacgcacc cgccacaac
60

cgccaccgac ccccttccc ccaatcgcgt tctgcaggta ccccg
105

<210> 32
<211> 5
<212> PRT
<213> Artificial sequence

<220>
<223> Flanking sequence from phage coat

<400> 32

Cys Gly Pro Pro Tyr
1 5

<210> 33
<211> 11
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W or F

<220>
<221> X
<222> (2)..(6)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (7)..(7)
<223> X = W or F

<220>
<221> X
<222> (8)..(10)
<223> X = any amino acid

<220>
<221> X
<222> (11)..(11)
<223> X = W or F

<400> 33

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10